


This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
A	14-0184	CH'D TITLEBLOCK WAS RED BARN IS DART. -1 CH'D DIM WAS 4X .44 IS 2X .44. -3 CH'D DESCRIPTION WAS WENCH IS WRENCH, CH'D SPECIFICATIONS WAS 1/4 X ??? X 10 IS 1/4 X 2-5/8 X 10. ADDED MISSING DIM 2.416, CH'D DIM WAS 4X .758 IS 2X .758.	10/15/2014	DJN	GE
1	14-0220	UPDATED DWG. TO NEW STANDARDS. -5 ADDED PISTOL CASE.	11/20/2014	RJC	JAG




ASSY QTY	ASSY QTY	B/O	Part #	UNIT QTY	Description	Material	B/O INFORMATION OR SPECIFICATIONS	PG.
			-1	1	WRENCH	A36 P&O		2
			-3	1	WRENCH	A36 P&O		3
		B/O	-5	1	PISTOL CASE	PLASTIC	(RSR GROUP #10137)	N/S

<b>DART</b> AEROSPACE	
TITLE WRENCH SET, FLIGHT CONTROL SERVO-ACTUATOR CLUTCH ADJUSTMENT	
DWG NO.	REV
RBW895-3101-05-101	1
MAT'L	DRAWN BY: CLOUGH
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 FRACTIONS ± 1/8 .XX ± .01 ANGLES ± 5° .X ± .1	APPROVED <i>D Weil</i>
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	HEAT TREAT FINISH SPEC
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	USED ON MODEL AW119
SCALE 1:2	DATE 4/26/2012
SHEET 1 OF 3	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
A	14-0184	-1 CH'D DIM WAS 4X .44 IS 2X .44.	10/15/2014	DJN	GE




(-1)  
WRENCH

<b>DART</b> AEROSPACE	
TITLE WRENCH SET, FLIGHT CONTROL SERVO-ACTUATOR CLUTCH ADJUSTMENT	
DWG NO. RBW895-3101-05-101-1	REV 1
MAT'L A36 P&O	DRAWN BY: CLOUGH
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	APPROVED <i>D Weil</i>
.XXX ± .005 FRACTIONS ± 1/8	HEAT TREAT
.XX ± .01 ANGLES ± 5°	FINISH CAD PLATE YELLOW
.X ± .1	SPEC QQ-P-416F, TYPE II, CLASS II
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	USED ON MODEL
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	AW119
SCALE 1:2	DATE 4/26/2012
SHEET 2 OF 3	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
A	14-0184	-3 ADDED MISSING DIM 2.416, CH'D DIM WAS 4X .758 IS 2X .758.	10/15/2014	DJN	GE



(-3)  
WRENCH

<b>DART</b> AEROSPACE	
TITLE WRENCH SET, FLIGHT CONTROL SERVO-ACTUATOR CLUTCH ADJUSTMENT	
DWG NO. RBW895-3101-05-101-3	REV 1
MAT'L A36 P&O	DRAWN BY: CLOUGH
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	APPROVED <i>D Weil</i>
.XXX ± .005 .XX ± .01 .X ± .1	HEAT TREAT FINISH CAD PLATE YELLOW
1. BREAK ALL SHARP EDGES .015 x 45° OR .015R	SPEC QQ-P-416F, TYPE II, CLASS II
2. DIMENSIONAL LIMITS APPLY AFTER PLATING	USED ON MODEL AW119
SCALE 1:2	DATE 4/26/2012
SHEET 3 OF 3	